


**PERFORMANCE CHART FOR RAMESH 6"(150MM) SAND PROOF HIGH HEAD STAINLESS STEEL SUBMERSIBLE PUMP**

Discharge in liters per minute at various depths in Meter/Feet

PUMP TYPE R/F	Mts	DELIVERY SIZE	15	22	30	38	45	53	60	68	76	83	90	100	106	121	137	152	167	183	198	213	244
2" DELIVERY	Feet	IN mm	50	75	100	125	150	175	200	225	250	275	300	325	350	400	450	500	550	600	650	700	800
5 HP 2 Stage Pump - HH		75 MM (K-200)	800	550	300																		
5 HP 3 Stage Pump - HH		65 MM (K-150)	620	540	470	350	180																
5 HP 4 Stage Pump - HH		65 MM (K-125)	540	500	450	420	320	235	120														
5 HP 5 Stage Pump - HH		50 MM (K-100)	405	390	360	330	300	270	210	180	90												
5 HP 6 Stage Pump - HH		50 MM (K-80)	350	310	295	280	260	240	225	200	180	135	75										
5 HP 8 Stage Pump - HH		50 MM (K-60)	270	250	240	230	220	210	200	185	170	150	135	120	90	50							
5 HP 10 Stage Pump - HH		50 MM (K-50)	250	230	220	200	210	200	200	190	180	160	150	135	120	90	60						
6 HP 3 Stage Pump - HH		75 MM (K-200)	830	680	560	420	300																
6 HP 4 Stage Pump - HH		65 MM (K-150)	630	580	530	500	410	300	180														
6 HP 5 Stage Pump - HH		65 MM (K-125)	540	510	480	450	410	330	300	240	120												
6 HP 6 Stage Pump - HH		50 MM (K-100)	405	395	380	350	330	310	260	230	200	175	90										
6 HP 8 Stage Pump - HH		50 MM (K-80)	355	330	310	300	290	280	260	250	240	220	200	180	150	75							
6 HP 10 Stage Pump - HH		50 MM (K-60)	270	260	250	240	235	230	220	210	200	190	180	160	140	110	90	50					
6 HP 12 Stage Pump - HH		50 MM (K-50)	250	240	230	220		210		200		190	180	160	150	135	120	90	60				
7.5 HP 4 Stage Pump - HH		75 MM (K-200)	840	790	700	620	500	380	180														
7.5 HP 5 Stage Pump - HH		65 MM (K-150)	640	600	570	530	490	440	370	300	180												
7.5 HP 6 Stage Pump - HH		65 MM (K-125)	550	530	500	480	450	420	380	340	290	250	120										
7.5 HP 8 Stage Pump - HH		50 MM (K-100)	410	400	390	380	360	345	330	310	280	260	240	210	190	90							
7.5 HP 10 Stage Pump -HH		50 MM (K-80)	360	340	325	310	300	290	280	270	260	250	235	225	205	190	140	75					
7.5 HP 12 Stage Pump -HH		50 MM (K-60)	275	265	260	250	240	230	220	210	205	200	190	180	170	160	140	110	90	60			
7.5 HP 15 Stage Pump -HH		50 MM (K-50)	250	240	230	220		210		200		190	180	170	160	150	140	120	110	100	80	60	





**PERFORMANCE CHART FOR RAMESH 6"(150MM) SAND PROOF HIGH HEAD STAINLESS STEEL SUBMERSIBLE PUMP**

Discharge in liters per minute at various depths in Meter/Feet

PUMP TYPE R/F	Mts	DELIVERY SIZE	15	22	30	38	45	53	60	68	76	83	90	100	106	121	137	152	167	183	198	213	244	274	305	335	366	396	427	518	
2" DELIVERY	Feet	IN mm	50	75	100	125	150	175	200	225	250	275	300	325	350	400	450	500	550	600	650	700	800	900	1000	1100	1200	1300	1400	1700	
20 HP 10 Stage Pump -HH		75 MM (K-200)	850	840	830	820	810	795	780	750	700	680	630	580	540	450	360	180													
20 HP 13 Stage Pump -HH		65 MM (K-150)	650	645	640	630	620	610	600	580	575	560	540	530	520	500	460	400	340	350	160										
20 HP 16 Stage Pump -HH		65 MM (K-125)	600		595		590	580	570	560	550	540	530	500	480	450	420	400	360	310	270	250	210								
20 HP 20 Stage Pump -HH		50 MM (K-100)	450	445	440	435	430	420	415	410	400	395	390	380	370	360	350	340	330	300	280	250	230	170	90						
20 HP 25 Stage Pump -HH		50 MM (K-80)	360		355	350	345	340	330	325	320	315	310	305	300	290	285	280	270	260	250	240	220	200	180	160	140				
20 HP 34 Stage Pump -HH		50 MM (K-60)	280			270			260		250		245			240		230		220	215	210	200	180	170	160	150	120	90		
20 HP 40 Stage Pump -HH		50 MM (K-50)	250					240				230			220		210			200		190	180	170	160	150	140	120	75		

  **Recommended Head Range**